



CEDAR **3D** PANEL

Western Red Cedar luxury interior paneling




TOUCHE OF NATURE


SURFACE FINISHING




SANDED




traditional smooth surface shows natural beauty and grain of Western Red Cedar




BRUSHED




modern way of finishing imitates texture of aged wood




ROUGH SAWN



unusual mashing of wood with rough sawn effect has original look



ACOUSTIC




special technology gives to the panels exceptional acoustical properties

WORK IN PROCESS

Western Red Cedar has richly textured grain with colours ranging from mellow ambers, reddish cinnamons and rich sienna browns. Its warm coloring is complimented by a uniform, fine-grained texture with a satin luster. The patterns of discolouration are different for the coastal and interior British Columbia cedar. This is the reason why each piece of **CEDAR 3D PANEL** will be always one and only original.


TOP COATINGS




NATURAL



LAQUER



OIL



WAX

Color shades may be different from reality.



ESSENTIAL PROPERTIES



100% SOLID WOOD



HAND MADE



OUTSTANDING
DIMENSIONAL STABILITY



LOW DENSITY AND WEIGHT



EXCELLENT ACCOUSTICAL
PROPERTIES



UNLIMITED INSPIRATION



EACH PIECE IS ORIGINAL



NATURALLY ANTISEPTIC



EXCEPTIONAL NATURAL
BEAUTY



PLEASANTLY SCENT-LADEN



FROM SUSTAINABLE
RESOURCES





RENEWABLE BUILDING
MATERIAL

TECHNICAL INFORMATION

Tongue & Groove Paneling **CEDAR 3D PANEL** is manufactured from 100% solid wood in three layers. The core of sandwich (middle cross-layer) prevents shape deformation. The top layer is composed of glued lamellas on three different thicknesses and widths, which resulted in unusual 3D effect. With a range of colours and the richly textured grain of western red cedar in each original piece.

DIMENSIONS AND PACKAGING

Thickness: 10 - 13 mm
 Width: 250 mm (measured without Tongue)
 Length: 2400 mm
 1 pack contains 5 panels, tj. 3 m²



INSTALLATION

Tongue & Groove Paneling **CEDAR 3D PANEL** is easy to install on the wall or ceiling, in the same way as a floating floor. Panels can be blind nailed with stapless siding nails to the underconstruction (with recommended distance max. 600 mm) or glued directly to the flat wall surface with applicable plastic glue. There is almost no waste of material. In spite of facts of high dimensional stability of Western Red Cedar is highly recommended leave dilatational gap (min. 10 mm) in all perimeter of installed paneling.

USING

CEDAR 3D PANEL is suitable for interiors using only and can be installed in areas, where the humidity level isn't permanently high. Thanks to range of colors and mixture grain is easy to match CEDAR 3D PANEL with other kind of materials like stone, ceramic, toned plastering or concrete. Completed paneling is like an original picture, which brings real touch of nature to the interior and adds feelings of warmth. It is scientifically proven that solid wood has beneficial effects on the human body.